



## ASTM D1785/D2665 Schedule 40/DWV Pipe Certification

To Whom It May Concern:

Please be advised that the North American Pipe Corporation pipe products:

ASTM D1785/D2665 Solvent Weld Belled End and Plain End PVC  
Distribution and Drain, Waste, and Vent Pipe, Sizes ½"-24" Sch 40

Provided by North American Pipe Corporation is manufactured in accordance  
with the following standards:

*ASTM D1785 Standard Specification for Poly(Vinyl Chloride) (PVC)  
Plastic Pipe, Schedules 40, 80, and 120*

*ASTM D2665 Standard Specification for Poly(Vinyl Chloride) (PVC)  
Plastic Drain, Waste, and Vent Pipe and Fittings*

*ASTM D2672 Standard Specification for Joints for IPS PVC Pipe Using  
Solvent Cement*

The PVC material conforms to a cell classification of 12454 as defined by ASTM  
D1784 Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds.  
The standard pipe laying lengths are 10 feet and 20 feet. The pipe is listed by  
NSF International to ANSI/NSF 14 and ANSI/NSF 61.

Mike Glasgow, P.E.  
Engineering and Field Services

*Quality Piping Materials*